

# The Torah Code Controversy

Robert M. Haralick  
Intelligent Systems Laboratory  
Department of Electrical Engineering  
University of Washington  
Seattle, WA 98195

## Abstract

*In this paper we briefly explain what a Torah code is and give an example of one. We show how to calculate the probability of its occurrence in a suitably defined population of texts. We explain how it is possible to misadvertise the computed probabilities, making it seem that the probability of a Torah code is very small. We briefly discuss the controversy and suggest that new more carefully controlled experiments are needed to resolve the controversy. And we detail the protocol for new experiment by a website reference.*

## 1. Introduction

A Torah code is an occurrence of one or more given words spelled out by taking its successive letters some spacing other than one in a Hebrew Torah text from which inter-word spaces and punctuation marks have been removed. Equal interval skips between successive letters of a word is the usual way Torah codes are found, but one can envision other skip patterns as well.

On the one hand it would seem that the formation of words formed by successive letters at equidistant letter skip intervals (ELS) is surprising. On the other hand it would seem that since there are so many places and skip intervals to potentially form such words, that one can argue that they form just by a chance happening. And indeed one can statistically expect such formations in any kind of texts. The issue is one of knowing how to compute whether a given ELS event has high probability or low probability.

In 1994, Witztum et al. published an article in *Statistical Science* providing statistical evidence that in one suite of controlled experiments the chance probability of the Torah code patterns they found relating names of famous rabbis and dates of their births or deaths was one in 62,500. This study used more than

just the event of ELSs occurring. It attempted to measure the spatial closeness of the ELS events which did occur. Books authored by Ramsel [4], Haralick and Glazerson [9], and Novick [2] use the Torah code device to reinforce the various religious points they are trying to teach. Each tries to add weight to their religious argument by making a statement about how small the probability is of the Torah code they illustrate. [5] The book by Drosnin [1] has popularized Torah codes by describing how the code for the assassination of Rabin was found a year before he was assassinated. Drosnin also shows (fallaciously) how he can make predictions using Torah codes. The book by Satinover [8] explains the ancient origin of the Torah codes and puts it in the perspective of the Jewish religious tradition. The "Discovery" seminars organized by Aish HaTorah also make use of the Torah codes to argue that their occurrence is not by chance. Therefore, they conclude that the author of the Torah was an extraordinary author.

The difficulty with the Torah code phenomena is that it is an instance of a publicly observable phenomena whose proponents argue is not a natural phenomena explainable by science. A fundamental hypothesis of the science is that any publicly observable phenomena has a natural cause and effect type explanation. Therefore a considerable academic controversy [10] has arisen with the believers in science arguing that Witztum et al.'s experiment in some way has to have been a fraud to produce such a small probability and the proponents of the Torah codes arguing for the validity of the Witztum et al.'s experiment. [4, 3]

The purpose of this article is to explain the protocols by which one can discover whether the occurrence of Torah codes is just a chance occurrence or whether it is statistically unexpected. To introduce the topic, we illustrate an example Torah code and begin the process of analyzing it to understand its statistical significance. Although our example comes from a religious context,

our focus is entirely statistical and we, therefore, make no religious comments or inferences.

## 2. Protocols and Probabilities

In this section we analyze how to calculate the probability of a code occurring for some different protocols of searching for codes. We will first illustrate this the Mai monides example.

Mai monides is Rabbi Moses Ben Mai mon who is also known as רמבם, the Rambam for short. He lived in Egypt in the twelfth century, 1135-1204. He was a philosopher, a physician, a halakhist, and a medical writer. He held the position of being the physician in the court of Al-Fadhil, the vizier of Egypt under Saladin. And as well, he was the head of the Jewish religious community in Cairo. Among his religious writings is the famous *Mishneh Torah*, an organized compendium of the entire halakhah, the laws associated with the 613 commandments followed by observant Jews.

In the section of Exodus discussing the observance of the Passover the following Torah code for the two key words *משנה תורה* can be found. Each code instance has a skip interval of 50 and from the מ of *משנה* to the letter preceding the ת of Torah is exactly 613 letters. This is illustrated in the code array of figure 1.

What is the probability of this occurring? To answer this question we have to put the question in the context of a protocol in which we must first define a population of texts and then describe the search experiment that is to be performed in the population of texts.

For this code, our text population consists of texts which are all possible positional permutations of the letters in the Torah text. The Torah text has 304,805 letters and the number of possible positional permutations is  $304,805!$ , a very large number. We call such a text population a population of monkey texts. One of the possible permutations is the identity permutation so the Torah text is one of the texts in the population of monkey texts. Our experiment is that of drawing out at random one of the texts in the population and from a pre-specified list of character positions determining whether or not the letters *משנה תורה* occur. Notice that the description of the experiment has two dimensions: that of selecting at random one of the texts in the population and the second the determination of whether in a pre-given list of character positions the letters *משנה תורה* occur.

For this text population and protocol of randomly selecting a text, we can easily compute the probability of observing the 8 letters *משנה תורה* in a given list of character positions. For this text population, the con-

93861	אמריהוהאל	93837
93886	עלמענוברותמופת	93862
93911	משהואהרנע	93887
93936	לפניפרעהויחזקיהוה	93912
93961	ולאשלחאת	93937
93986	ריהוהאלמשהו	93962
94011	לאמרוחדשה	93987
94036	שונההואלכמ	94012
94061	לעדתישוראל	94037
94086	יקחו להמאי	94062
94111	ואמימעטה	94087
94136	אושכנוהקר	94112
94161	אישלפיאבל	94137
94186	זכרבנשנהיה	94162
94211	נהעזימתקחו	94187
94236	ארבעהערי	94212
94261	ובלקהלעד	94237
94286	קחומנהדמו	94262
94311	עלהמשקופ	94287
94336	ובהמואכל	94312
94361	יאשומצות	94337
94386	כלוממונו	94362
94411	צליאשוראש	94387
94436	אתותירומו	94412
94461	עדבקרב	94437
94486	מתניבמחגרי	94462
94511	מקלבמביד	94487
94536	פסחהואלי	94512
94561	מבלילהזה	94537
94586	מצריממאדמו	94562
94611	צרימאעשה	94587

Figure 1. Code array showing the close spatial relationship between the key words רמבם, Rambam the short nickname by which Maimonides is known, and the title of his most famous book, *Mishneh Torah*. The numbers on the left and the right give the text character positions in Genesis for the letters in the leftmost and rightmost columns of the code array.

Letter	Probability	Letter	Probability
א	0.088774	ל	0.070766
ב	0.053624	מ	0.082314
ג	0.006919	נ	0.046351
ד	0.023070	ס	0.006014
ה	0.092045	ע	0.036909
ו	0.100106	פ	0.015764
ז	0.007211	צ	0.012998
ח	0.023585	ק	0.015403
ט	0.005918	ר	0.059464
י	0.103446	ש	0.051164
כ	0.039264	ת	0.058890

Table 1. Lists the letters and their probabilities as they occur in Torah.

ditional probability of any letter in any character position given any other combination of letters in any other character position is equal to the marginal probability of the letter. So no matter what our list of letters may be and no matter what positions we specify the letters to occur in, the probability of observing the joint event is just the product of the marginal letter probabilities. Or simply stated, the event of observing any one letter in any character position is independent of observing any other letter in any other character position.

If we change the text population, we change the probability of the joint event. For example, consider the text population consisting of all permutations of the Torah text in which each permuted text has the property that each letter is part of a run of letters of its kind of length 50, with the exception of possibly each letter's last run. If we order the list of given character positions and in our ordered list each successive character position is more than 50 from the previous character position, then we have independence as before. But if the some of the successive character positions are less than 50, then independence does not hold and since the list of 8 letters **משנהתורה** does not have any successive repeating letters, the probability of observing them in their pre-specified positions in this new population will be zero.

Table 1 gives the letter frequency of each letter for the five books of the Torah. The probability  $p$  of observing the 8 letters **משנהתורה** in any given fixed set of character positions is computed as

$$p = 0.082314 \times 0.051164 \times 0.046351 \times 0.092045 \times$$

$$0.058890 \times 0.100106 \times 0.059464 \times 0.092045 = 5.79767 \times 10^{-10}$$

a very small probability indeed.

Because it is so small we might think that this is an unusual event. But the way in which we might naively think that this is an unusual event could be very wrong. To understand this, we have to understand the meaning of the probability  $p$  we computed. It means this: If we were to sample one text from a population of all texts which have the same number of letters of each kind that the Torah has and if we were to designate a list of 8 particular character positions, the probability is  $p$  that we would discover the letters **משנהתורה** in the designated places, precisely in this order,

Suppose that we now organize a search. Suppose we select a sampling pattern of exactly a skip interval of 50 for **משנה** and 50 for **תורה** with 613 letters in between the **מ** of **משנה** and the **ת** of **תורה**. This specifies for what we are going to look: a particular pattern of 8 letters having a span of some  $1+613+1+150=765$  character positions. Now we perform the experiment. We take the Torah text having some 304,805 letters, and look in all the  $304,805 - 765 + 1 = 304,041$  positions in which the code span of 765 character positions can be placed and look to find an occurrence of the code **משנהתורה**. What is the probability of observing no occurrences? What is the probability of observing one occurrence? two occurrences? three occurrence? and so on.

The probability of observing the pattern **תורהמשנה** in any one placement is  $5.79767 \times 10^{-10}$ . There are 304,041 possible placements in which to observe a code that spans 765 characters. So the expected number of times or mean number of times  $m$  that we would observe the code **משנהתורה** in such a text is

$$m = 5.79767 \times 10^{-10} \times 304,041 = 1.76273 \times 10^{-4}$$

Assuming that the number of times that we observe the pattern is Poisson distributed, the probability  $q$  of observing the pattern  $k$  times is

$$q = \frac{\exp(-m) m^k}{k!} \quad (1)$$

To determine the probability of not observing the pattern at all we take  $k=0$  in equation 1. When  $k=0$ , this probability is  $\exp(-m)$ , which for  $m$  near 0 is approximately  $1-m$ . The probability of not observing the pattern 0 times is the probability of observing it at least once and this is  $1 - (1-m) = m$ . Hence for

this experiment, the probability of observing at least one ELS for **משנה תורה** is  $1.76273 \times 10^{-4}$

The probability of observing the character sequence **רמבם** in any given placement is

$$0.059464 \times 0.082314 \times 0.053624 \times 0.082314 = 2.1605 \times 10^{-5}$$

The number  $M$  of possible placements in a text of length  $N$  characters, searching over skip intervals from  $D_{min}$  to  $D_{max}$  is

$$M = \sum_{d=D_{min}}^{D_{max}} [N - (L - 1)d] \quad (2)$$

$$= (D_{max} - D_{min} + 1) \left[ N - \frac{(L - 1)(D_{max} + D_{min})}{2} \right]$$

Taking  $N = 765$ ,  $D_{min} = 2$ , and  $D_{max} = 254$ , we obtain  $M = 192,786$ . The expected number  $m$  of occurrences is then

$$m = 192,786 \times 2.1605 \times 10^{-5} = 4.14559$$

And the probability of observing at least one occurrence is then  $1 - \exp(-m) = 0.98416$ . Hence the probability of observing the letter sequence **משנה** at a skip interval of 50, the letter sequence of **תורה** at a skip interval of 50, and 613 letters between the **מ** of **משנה** and the **ת** of **תורה**, and the letter sequence **רמבם**, searching over skip intervals of 2 to 254, within the 765 character span the code instance of **משנה תורה** is  $1.76273 \times 10^{-4} \times 0.98416 = 1.734808 \times 10^{-4}$

Now suppose that in our search for **משנה תורה**, we do not search just for a skip interval of 50. Suppose we search at skip intervals of say 1 to  $D$ . Then everything changes. For a skip interval of  $d$ , the span of the code instance is  $615 + 3d$  character positions. The number of places such a code can be placed in a text of length 304,805 characters is  $304,805 - (615 + 3d) + 1 = 304,190 - 3d$ . Taking the sum for  $d$  being between 1 and  $D$  the total number  $M$  of possible code placements is

$$M = \sum_{d=1}^D 304,190 - 3d$$

$$= 304,190,000 - 3(D)(D+1)/2$$

When  $D = 1000$ , there results

$$M = 304,190,000 - 3(1000)(1001)/2$$

$$= 302,688,500$$

Hence the expected number of times  $m$  that we observe the pattern **משנה תורה** is

$$m = 5.79767 \times 10^{-10} \times 302,688,500 = 0.175489$$

Now the probability that we observe the pattern at least once is  $1 - \exp(-m) = 0.16095$ , a chance of approximately one out of six times. This would certainly not be a rare event.

If the experiment is an honest experiment, meaning that the character sequence and character relationships have been specified ahead of time with complete independence from any knowledge of previous Torah code experiments, with complete independence of any previous searching in the text, then the Torah text itself can be considered as a randomly selected or arbitrarily selected text. And the probability of 0.16095 applies to it. However, if we looked first at the Torah text, exploring it for some unspecified pair of key words with an unspecified protocol, and we discovered an ELS for some key word, and then we do the probability calculation, assuming that this is the ELS we were looking for, the computed probability only means: If we were to select a text at random from the population and if we were to look at this randomly selected text in all the possible placements of the code, checking each placement to see if it has in the given order the eight letters of the two key words, then the probability is 0.16095 that we will find in that text at least one ELS. But this probability does not apply to the Torah text because looking at it and exploring in it disqualifies it for being a randomly selected text from the population.

## 2.1. Misadvertising

The probability of observing a pattern of ELS events is relative to the protocol under which the experiment is done. Change the protocol and the probability changes. This means that it is easy to advertise an insignificant result as a significant result by finding a Torah code in an experiment with one kind of protocol but advertising that it was found with different protocol. [10]

This kind of misadvertising can take three forms. The first form is to do experiments with many key word sets and select out those key word sets having smaller associated probabilities. Then devise a new experiment using a combined key word set consisting of those key word sets having the smaller associated probabilities. This new experiment is publically reported. Just to show such an effect, Bar-Natan and McKay [12] did a parlor room Wtztum like Torah code experiment with a modern Hebrew translation of War and Peace. The probability of the publicly reported experiment was very small, almost as small as in the

Witztum et al. experiment. They concluded that whatever the phenomena is that occurred in the Torah text, it was also present in the War and Peace text. Thus Bar-Natan and McKay attempt to make a mockery of the Witztum et al. work.

The second form is to do an experiment over an entire text, finding the text segment which is the smallest text segment containing ELSs of the given key words and then make up a story that the search was only done in a text segment having natural contextual boundaries and which just contains the text segment containing the ELSs of the given key words. The third form is to do an experiment having a large range of skip intervals and then report that the experiment was done with a much smaller range of skip intervals.

### 3. Settling The Controversy

The current situation is one in which the skeptics can hypothesize a protocol involving one or more prior experiments done on the sly, by which the small probability results observed in the publicly declared experiment are expected, explainable without miracle, and therefore not statistically significant. But the situation the skeptics describe is not consistent with the experimenter's repeatedly made assertions that there were no experiments on the sly and there was no peeking ahead.

One argument counters the other. In this case, what is the appropriate action for a scientist? What does a scientist do when there occur inconsistencies between observations, or between observations and theory? To discover the truth, the scientist designs a new experiment, an experiment which is more carefully controlled for extraneous effects, one which is publicly open, an experiment in which the instrumentation is more accurate, a data analysis protocol in which the statistics computed are more robust and have smaller expected variances etc. This is what is required here.

To help settle the controversy new experiments are needed. A full statement of the protocols for a new experiment can be found in the web site <http://www.george.ee.washington.edu>. The experiment in certain respects is patterned after that of Witztum et al. [8] to test the hypothesis that ELSs of appellations by which famous rabbis are known and ELSs of their birth or death date are spatially closer together in the Torah text for more rabbis than would be expected by chance. The statistical analysis methodology is called the best star team methodology and can also be found in the above mentioned web site.

### References

- [1] Michael Drosnin, *The Bible Code*, Simon and Schuster, New York, 1997.
- [2] Nisan Aryeh Novick, *Fascinating Torah Prophecies Currently Unfolding*, Netzach Yisrael Publications, New York, 1997.
- [3] Nisan Aryeh Novick, *Fascinating Torah Prophecies Currently Unfolding*, Netzach Yisrael Publications, New York, 1997, p. 148.
- [4] Yacov Rambsel, *Yeshua*, Frontier Research Publications, Ontario, 1997.
- [5] Yacov Rambsel, *Yeshua*, Frontier Research Publications, Ontario, 1997, p. 95.
- [6] Yacov Rambsel, *Yeshua*, Frontier Research Publications, Ontario, 1997, p. 1.
- [7] Jeffrey Satinover, *Cracking The Bible Code*, William Morrow and Company, New York, 1997.
- [8] Dron Witztum, Eliyahu Rips, and Yoav Rosenberg, "Equidistant Letter Sequences in the Book of Genesis," *Statistical Science*, Vol. 9, No. 3, 1994 pp. 429-438.
- [9] Robert Haralick and Matityahu Glazerson, *Torah Codes and Israel Today*, Lev Eliyahu, Jerusalem 1996.
- [10] Barry Simon, "A Skeptical Look at the Torah Codes," *Jewish Action*, Spring 1998, pp. 17-24.
- [11] Gil Kalai, *On the Paper of Witztum, Rips, and Rosenberg on Equidistant Letter Sequences in the Book of Genesis* August 21, 1997 draft.
- [12] Dror Bar Natan and Brendan McKay, Draft paper on internet website.
- [13] Dron Witztum "The Seal of God's Truth," *Jewish Action*, Spring 1998, pp. 25-32.
- [14] Daniel Mchanic, "Torah Codes and Kiruv Re-chokim," *Jewish Action*, Spring 1998, pp. 33-37.